XINYUEGE TRADING Product Quotation (2021.12.8)

J004	Product Parameters		Price	(USD)
	Product size: 15.7x6.5x96mm. Integrated oil storage cotton, cigarette oil 1.2mL.	Quantity(PCS)	ty(PCS) Regular style	
	heating wire: 1.8 ohm, cotton core, non-rechargeable, with white light/blue light.	1,000-10,000	1. 9	
	Battery 501447, 280mAH, 1.2A discharge. Number of mouths available: 400 mouths . Product colors and patterns can be customized.	10, 000-20, 000	, 000–20, 000 1. 7	
	rroduct colors and patterns can be customized.	20, 000-50, 000	1. 5	

J005	Product Parameters	Price(USD)		(USD)
One-piece Heating w rechargeal light. The batte: The numbe: The color	Product size: φ 16.0x104mm. One-piece oil storage cotton, 3.0mL e-liquid,	Quantity(PCS)	Regular style	
	Heating wire: 1.8 ohm, cotton core, non-rechargeable controller, with white light/blue light. The battery is 13400, 550mAH, 1.2A discharge. The number of mouthfuls can be 800 mouths . The color and pattern of the outer tube of the	1,000-10,000	2.8	
		10, 000-20, 000	2. 5	
	product can be customized	20, 000-50, 000	2. 2	

	J006	Product Parameters	Price(USD)		(USD)
		Product size: φ 18x108.5mm. One oil storage cotton, 5mL e-liquid,	Quantity(PCS)	Regular style	
•	The Num	Heating wire: 1.8 ohm, cotton core, non-rechargeable controller, with white light/blue light.	1,000-10,000	3. 5	
(D) Beautons		The battery is 16350, 700mAH, 1.2A discharged. Number of mouthfuls available: 1200 mouths. The color and pattern of the outer tube of the	10, 000-20, 000	3	
		product can be customized.	20, 000-50, 000	2. 5	

Ј007	Product Parameters	Price(USD)		(USD)
80	Product size: ϕ 19x107mm. One-piece oil storage cotton, 6.0mL of smoke oil, Heating wire: 1.8 ohm, cotton core, non-	Quantity(PCS)	Regular style	
	rechargeable controller, with white light/blue light.	1,000-10,000	3. 8	
	The battery is 18350, 1100mAH, 1.2A discharge. Number of mouthfuls available: 2000 mouths. The color and pattern of the outer tube of the	10, 000-20, 000	3. 3	
	product can be customized.	20, 000-50, 000	3	

J008	Product Parameters	Price(USD)		(USD)
		Quantity(PCS)	Regular style	
	soda, watermelon ice/cola ice, pink lemon/strawberry kiwi, cool mint/aloe grape, passion fruit/pineapple, apple ice/guava.	1,000-10,000	3. 6	
	Integrated oil storage cotton, cigarette oil 2.4mL+2.4mL, heating wire: 1.8 ohm, cotton core, non-rechargeable controller, with white	10, 000-20, 000	3. 2	
	light/blue light. The battery is 16350, 700mAH, 1.2A discharged. 600 mouths can be drawn for	20, 000-50, 000	2.8	

J009	Product Parameters		Price	(USD)
	Product ruler: φ 19.5*115mm. Both ends are dark red, dark blue, black, green, steel color.	Quantity(PCS)	Regular style	
Integrated oil storage cotton, smoke oil 4mL, heating wire: 1.8 ohm, cotton core, non-rechargeable controller, with white light/blue light. The battery is 13450, 650mAH, 1.2A discharge.	Integrated oil storage cotton, smoke oil 4mL,	1,000-10,000	3. 5	
	light.	10, 000-20, 000	3	
	20, 000-50, 000	2. 5		

Ј012	Product Parameters		Price	(USD)
	Three cartridges per cigarette stick, product specifications: 20.3*12.4*110mm, smoke oil 1.60mL, 300-400 mouths, ceramic heating wire	Quantity(PCS)	Regular style	
	resistance: 1.0Ω, battery model: 801437, capacity 350MAH (wild-matched RELX-generation	1,000-10,000 11.6 10,000-20,000 10.6	11.6	
	cartridge)			
		20, 000-50, 000	9. 6	

Ј011	Product Parameters		Price	(USD)
	A cigarette stick with three cartridges, specifications: 19.7*11*112.8mm, cigarette oil 2.0mL, 400-450 mouths, ceramic heating wire	Quantity(PCS)) 11.6	
	resistance: 1.0Ω, rechargeable, wild-matched Yueke 5th generation wild-matched battery stick	1,000-10,000 11.6		
	, Battery model: 861633, capacity 400MAH.	10, 000-20, 000	10.6	
		20, 000-50, 000	9. 6	

Delivery Terms: EXW Shenzhen.

Payment Terms: T/T.100% Deposit before production. Product: LOGO/product color can be customized. Package: Color packing box/Custom packaging.

Delivery method: Negotiate according to the actual situation.

Contact: +86 13620962695 Email: joy@siregcn.com

Product details page URL: http://www.jingzevape.com/

